

Infant and Child Emergency Response Questionnaire

1. When giving an infant or small child CPR, how many compressions per breath would you use?
 - a) 5
 - b) 10
 - c) 15

2. To stem bleeding and assist with the clotting process you should:
 - a) Apply direct pressure to the wound
 - b) Raise the injured area
 - c) Both of the above

3. How often should you replace the dressing on a bleeding wound?
 - a) When the dressing is soaked with blood
 - b) You shouldn't replace it, but add dressings on top
 - c) Every 30 minutes

4. Which of the following are signs of an allergic reaction?
 - a) Skin irritation
 - b) Vomiting or diarrhea
 - c) Difficulty breathing
 - d) Fatigue
 - e) All of the above

5. During a child's febrile seizure, you should:
 - a) Leave her on the ground but make room around her
 - b) Support her body
 - c) Move her to a soft surface such as a bed or couch

6. In the case of a minor burn you should:
 - a) Hold it under cool water
 - b) Apply ice
 - c) Cover it with a light bandage

7. In the event of choking is it best to do nothing if:
- a) He is still conscious
 - b) He can still breathe
 - c) His face has not turned blue
8. What is the best way to stop a nosebleed in a small child?
- a) Lean forward and pinch the nostrils
 - b) Lean back and press a towel to the nose
 - c) Lie down and squeeze the nostrils together
9. What are some symptoms of concussion?
- a) Fever
 - b) Drowsiness
 - c) Confusion
 - d) Headache
 - e) Red or itchy eyes
 - f) Nausea or vomiting
10. When someone faints, you should:
- a) Slap his face to revive him
 - b) Splash cold water on him
 - c) Raise his feet

Answers:

- | | | | | |
|------|------|------|---------------|-------|
| 1. c | 2. c | 3. b | 4. e | 5. a |
| 6. a | 7. b | 8. a | 9. b, c, d, f | 10. c |

If you don't know the answers to any of these questions, ask our staff about our **Infant Child CPR and Infant Emergency Workshop**.